



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/522,974	02/01/2005	Robert Ashe	377.8168USU	2336
27623 7590 02/29/2008 OHLANDT, GREELEY, RUGGIERO & PERLE, LLP ONE LANDMARK SQUARE, 10TH FLOOR STAMFORD, CT 06901				
EXAMINER FLANIGAN, ALLEN J				
ART UNIT 3744		PAPER NUMBER		
MAIL DATE 02/29/2008		DELIVERY MODE PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/522,974

Applicant(s)

ASHE ET AL.

Examiner

Allen J. Flanigan

Art Unit

3744

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3, 5, 6, 14 and 59-66 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☐ Claim(s) ____ is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☒ Claim(s) 1-3, 5, 6, 14 and 59-66 are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. ____.
 - ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-85/86)
Paper No(s)/Mail Date ____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date ____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: ____

It is noted that the priority documents submitted by the International Bureau corresponding to the PCT application do not correspond completely and comprehensively to the invention(s) disclosed in the instant National Stage application; thus applicant's foreign priority claim will only be honored to the extent that the disclosures of these documents establish any common subject matter with the instant application.

Election/Restrictions

This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species are as follows:

There are three distinct species to which the claims presented are directed, involving distinct means of attaching conduits (brazing or other bonding means shown in Figs. 11-17 vs. mechanical attachments, shown in Figs. 18-19, vs. attaching via an expansion absorbing device, Figs. 20-25). In addition, there are distinct subspecies of the third embodiment mentioned above, employing different ways of attaching the conduits to the expansion absorbing plate or different ways of attaching the expansion absorbing plate to the container confining a second fluid (shown in Figs. 21, 22, and 23-25, respectively). Further, there are additional species involving other distinct features to which claims are currently not directed (distinct conduit shapes,

open vs. closed conduits, the use of inserts or protrusions to reduce channel volume, etc.).

Applicants are required, in reply to this action, to elect a single species of attachment means (either the Figs. 11-17 embodiments, or Figs. 18-19 embodiments, or the Figs. 20-25 embodiments) to which the claims shall be restricted if no generic claim is finally held to be allowable. If the third set of embodiments (Figs. 20-25 involving an expansion absorbing "plate") is elected, the applicant must elect one subspecies from among this group (one of Fig. 21, 22, or Figs. 23-25). The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Applicants should note that should additional claims be subsequently presented to distinct subspecies of the elected embodiments (e.g. one of the four expansion absorbing means of Fig. 21), the application will be subject to an additional election requirement.

Upon the allowance of a generic claim, applicants will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Art Unit: 3744

The claims are deemed to correspond to the species listed above in the following manner:

Claim 14 reads on the Figs. 11-17 embodiments involving various bonding techniques for attaching conduits. Claim 59 reads on the Figs. 18 & 19 embodiments, claims 60, 63, and 64 on the Figs. 20-25 embodiments, claim 65 reads on the subspecies of Fig. 21, and claim 66 reads on the subspecies of Figs. 22 and 23-25.

The following claim(s) are generic: Claims 1-3, 5, 6, 9, 61, and 62.

The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons:

The existence of an anticipatory reference demonstrating that one or more generic claims lack novelty establishes that the species do not relate to a single general inventive concept. As set forth in MPEP 1850:

The expression "special technical features" is defined in PCT Rule 13.2 as meaning those technical features that define a contribution which each of the inventions, considered as a whole, makes over the prior art . . . Whether or not any particular technical feature makes a "contribution" over the prior art, and therefore constitutes a "special technical feature," should be considered with respect to novelty and inventive step. For example, a document discovered in the international search shows that there is a presumption of lack of novelty or inventive step in a main claim, so that there may be no technical relationship left over the prior art among the claimed inventions involving one or more of the same or corresponding special technical features, leaving two or more dependent claims without a single general inventive concept.

Applicants are reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Allen J. Flanigan whose telephone number is (571) 272-4910. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler can be reached on (571) 272-4834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Allen J. Flanigan/
Primary Examiner, Art Unit 3744